KERN ODC 861



The cooled camera for professional fluorescence examinations



Category	
Brand	Optics
Product categoriy	Microscope
Product group	Microscope camera
Product family	ODC-86

Construction	
Dimension (W×D×H)	80×80×103 mm

Functions	
Camera - Applicable software	external (OXM 902)
Supported operating systems	Win 7 Win 8 Win 10 Win 11

Interface	
Interfaces	USB 3.0

Camera	
Cameratype	USB3 Microscope Camera (Cooling) - C- Mount
Camera - Resolution	20 MP
Camera - Sensor type	Sony CMOS
Camera - Sensor size	1"
Camera - Colour depth	Colour
Camera- Mounting types	C-mount
Camera - Exposure method	Rolling Shutter
Camera - Sensor dimensions	13,056×8,755 mm
Camera - Pixel size	2,4×2,4 µm
Camera - FPS range 1	19 FPS

Camera - Resolution range 1	5440x3648
Camera - FPS range 2	49 FPS
Camera - Resolution range 2	2736x1824
Camera - FPS range 3	59 FPS
Camera - Resolution range 3	1824x1216
Camera - Exposure time [Min]	0,1 ms
Camera - Exposure time [Max]	3600000 ms

	rower Supply	
	Supplied power supply	Power supply unit
	Plug-in power supply type	Power adapter
	Plug-in power supply / adapter for countries - included with the delivery	EURO
	Plug-in power supply / adapter for countries - optional	AUS UK US CH
	Input voltage power supply / power [Max]	100 - 240 V AC, 50/60 Hz, 1,0 A
	Input voltage device / power [Max]	12 V 3 A 36 W
	Power socket for mains adapter	Inside plus, outside minus

Environmental conditions	
Storage temperature [Min]	-5 °C
Storage temperature [Max]	40 °C

Approval		
CE mark	J	

Packing & Shipping	
Delivery time	1 d
Dimensions packaging (W×D×H)	270×250×130 mm
Shipping method	Parcel service
Net weight approx.	2,6 kg
Gross weight approx.	2,6 kg
Shipping weight	2,5765 kg

Pictograms

STANDARD





1